Report Documentation Page		*Form Approved* *OMB No. 0704-0188*

Public reporting burden for the collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to a penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number.

1. REPORT DATE **31 OCT 2014**	2. REPORT TYPE	3. DATES COVERED **00-00-2014 to 00-00-2014**
4. TITLE AND SUBTITLE **Particle Tracking Model (PTM) with Coastal Modeling System (CMS)**		5a. CONTRACT NUMBER
		5b. GRANT NUMBER
		5c. PROGRAM ELEMENT NUMBER
6. AUTHOR(S)		5d. PROJECT NUMBER
		5e. TASK NUMBER
		5f. WORK UNIT NUMBER
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) **U.S. Army Engineer Research and Development Center,CIRP - The Coastal Inlets Research Program,3909 Halls Ferry Road,Vicksburg,MS,39180**		8. PERFORMING ORGANIZATION REPORT NUMBER
9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES)		10. SPONSOR/MONITOR'S ACRONYM(S)
		11. SPONSOR/MONITOR'S REPORT NUMBER(S)
12. DISTRIBUTION/AVAILABILITY STATEMENT **Approved for public release; distribution unlimited**		
13. SUPPLEMENTARY NOTES		
14. ABSTRACT		
15. SUBJECT TERMS		

16. SECURITY CLASSIFICATION OF:			17. LIMITATION OF ABSTRACT	18. NUMBER OF PAGES	19a. NAME OF RESPONSIBLE PERSON
a. REPORT **unclassified**	b. ABSTRACT **unclassified**	c. THIS PAGE **unclassified**	**Same as Report (SAR)**	**2**	

Standard Form 298 (Rev. 8-98)
Prescribed by ANSI Std Z39-18

Particle Tracking Model (PTM) with Coastal Modeling System (CMS)

Description

The Particle Tracking Model (PTM) is a Lagrangian model designed to evaluate the behavior of water-borne constituents, such as sediment, chemicals, debris, or biota, under the combined effect of currents and waves. The Coastal Inlets Research Program (CIRP) supports the PTM with the Coastal Modeling System (CMS), which provides coupled wave and current forcing for PTM simulations. CMS-PTM is implemented in the Surface-water Modeling System, a GUI environment for input development, model execution, data pre- and post-processing, and visualization.

Issue Addressed

The PTM allows district scientists and engineers to investigate sediment fate and pathways, constituent transport associated with advection, dispersion, settling and entrainment, suspended load and bed load, and deposition and resuspension in coastal, estuarine and river environments. Local sediment particle sources include dredging, placement sites, inflows, and vessel propeller wash.


Figure 1. Complex ebb shoal and navigation channel morphology at Ocean City Inlet, MD, motivating PTM development (top); and CMS-PTM application at Port Orford, OR (bottom).

Products

The PTM calculates pathways and fate of neutrally buoyant or sediment particles under wave and hydrodynamic conditions. Calculations estimate sediment movement and distribution in a coastal, estuarine and/or riverine system.

Application of Products

Example applications of CMS-PTM include Long Island Sound, Connecticut; Shinnecock Inlet, New York; Ocean City, Maryland; Poplar Island, Maryland; Cape Fear, North Carolina; Charleston Harbor, South Carolina; Bahia Grande, Texas; Grays Harbor, Washington; Port Orford, Oregon; Humboldt Bay, California; Noyo, California; Dana Point Harbor, California; West Maui, Hawaii; and the Rosetta Promontory, Egypt.

Projected Benefits

CMS-PTM supports reconnaissance, feasibility, and design of O&M projects, and, within the coastal inlet navigation mission area, can be applied for nearshore berm placement, beneficial use of dredged sediment, evaluation of dredged material placement sites, and bypassing at inlets. The computational efficiency of PTM permits short-term (storm cycles) to long-term analyses of multiple scenarios to determine fate and pathways of sediments during dredging and placement, and transport pathways for coastal, bay, and estuarine waterways.

Documentation

One ERDC/CHL technical report, three ERDC/CHL technical notes, and webinar documents.

Points of Contact   For use of the PTM with CMS, please contact Dr. Honghai Li,
Honghai.Li@usace.army.mil

CIRP Website
- Download documentation:
  http://www.erdc.usace.army.mil/Missions/WaterResources/CIRP/Publications.aspx
- View archived webinars:
  http://www.erdc.usace.army.mil/Missions/WaterResources/CIRP/TechTransfer.aspx
  and
- Review guidance documented on the CIRP wiki: http://cirpwiki.info/wiki/Main_Page .